



张家港市英德利空调风机有限公司

Zhang Jia Gang City Yingdeli Air-conditioning Fans Co.ltd

地 址：张家港市乐余工业园区同福路2号

ADD：No. 2 Tongfu Rd,Leyu Industrial Park,Zhang Jiagang City

电 话(Tel)：0512-58650437 58653313

传 真(Fax)：0512-58652018

邮 编(P.C.)：215600



Yingdeli
Company

英德利
公司

我们致力于
营造绿色生态环境

www.yingdelifans.com

YINGDELI

英德利企业简介 Brief introduction

张家港市英德利空调风机有限公司
Zhang Jia Gang City Yingdeli Air-conditioning Fans Co., Ltd
www.yingdelifans.com

01/02

张家港市英德利空调风机有限公司位于长江三角洲的工业港口城市——张家港，创建于1988年，是以通风设备为中心，集研发、生产、销售、服务为一体，现已发展为内、外贸齐头并进，立志于节能环保的企业。

二十余年的稳健发展，已成为国内生产空调风机的骨干企业。公司占地面积30000多平方米，标准厂房面积20000多平方米。拥有数控激光切割机、数控等离子切割机、数控高速冲床、数显动平衡机、880吨液压机、通用机床、自研专用设备和精密量具；全面应用CAD辅助设计系统；建立了符合GB/T1236-2000标准的风机性能检测中心；通过了ISO9001:2008国际质量管理体系认证，为产品的研发和质量的控制奠定了坚实基础。“英德利”是中国通用机械风机行业协会、中国制冷空调工业协会会员单位。相继取得了全国工业产品生产许可证、电气设备防爆合格证、江苏省明星企业证书、苏州名牌产品证书、中国产品质量放心用户满意十佳诚信企业荣誉证书、重合同守信用企业证书、广交会优质供应商会员证书、计量合格确认证书等多项荣誉。在多次国家、省级产品质量抽检中合格率达100%。

目前，公司有KTS、EDK、RDK、DDF、YDF、KTD、BKTD、HTFC(DT)空调风机8大系列，100多个规格品种。产品广泛应用于中南海、北京奥运会、上海世博会、中央电视台等众多国家重点项目。

本公司多年来与香港GP公司紧密友好的合作，严格按照美国、加拿大和欧洲标准生产三、四、五节铝合金伸缩梯、阁楼梯和各种爬梯、多年来主要出口欧美国家，同时还生产三、四、五步人字梯、扶手梯，能广泛满足民用需求，目前共有5大系列，几十个规格品种。

“英德利”始终坚持“以科学、严谨的管理确保产品质量，创新改进是公司永恒的追求”的企业核心理念。以国际质量管理体系为基础，用心铸造让用户满意、信赖的产品。热忱欢迎国内外各界朋友惠顾，愿与新老客户共创新美好的未来。



Zhang Jiagang City Yingdeli Air-conditioning Fan Co., LTD is located in modern industrial city of Yangtze River delta---Zhang Jiagang City. Our company established in 1988, ventilation equipment centered, development, production, sales and service round together, domestic and overseas tradings are both going on. We are also determined on energy saving and environmental protection.

For more than 20 years development, our company has been as key enterprise. Our company covers an area of 3000m². There are CN Laser Cutting Machine, CNC plasma cutting machine, CNC high speed punch machine, dynamic balancing machine, 880T hydraulic machine, universal machine tools, special equipment and precision measuring tool; apply CAD system; established testing center for fans, which comply with GB/T 1236-2000 standard, pass ISO 9001:2008, which lay a solid foundation for product development and quality control. "YINGDELI" is member of CGMIA and CRAA. And also got licence of nationwide industrial product, electrical certification of conformity of an instrument of explosive atmosphere, certification of corporate star in Jiangsu Province, certification of trustworthy corporate, certification of excellent supplier for Canton Fair, and etc. Qualification rate is 100% in quality check by nation and province.

So far, we have 8 series for fan as KTS, EDK, RDK, DDF, YDF, KTD, BKTD, HTFC(DT), more than 100 kinds. Products are widely used in Zhongnanhai, Beijing Olympic Games, Shanghai Expo, CCTV, and etc.

Our company cooperates friendly and closely with GP INTERNATIONAL CO., which is from Hongkong for many year. We produced 13', 17' and 21' telescopic ladder, loft ladder, and ramp strictly according to standard of Europe and USA, meanwhile, we also have step stools and step ladders, totally 5 series and more than 20 kinds.

Company always keeps philosophy "INNOVATION, BUILDING BRAND and ENSURING product quality by scientific thoroughly controlled system, and continued improvement", based on international quality management system, make products that satisfy the customer. Sincerely welcome old and new customers come together, wish having good future with all customers.



YINGDELI


英德利企业证书 Enterprise Certification

张家港市英德利空调风机有限公司
Zhang Jia Gang City Yingdeli Air-conditioning Fans Co., Ltd.
www.yingdelifans.com
03/04

因为英德利始终坚持“诚信、优质、创新、进取”的经营方针，以超出客户的满意为最终目标，实现“英德利——客户”齐发展！

“YINGDELI” always insists on management principle “integrity, high quality, innovate, enterprising”, aims at over-reach customers' satisfaction, implement “YINGDELI-CUSTOMER” develop together.





美国COSCO公司MARTIN KATZ先生(中)来公司
Mr.Martin Katz from COSCO visited YINGDELI

YINGDELI

英德利客户考察 Customer visits

东方与西方的区别，不仅仅在于东西方之间从一种文化到另一种文化的差异。这些差异既是阻碍，也是机遇。

共享成功——它是英德利期待的一个境界，共享成功的经验，共享成功的好处，共享成功的乐趣。都是英德利与国内外客户增进友谊、加强沟通的桥梁。

Difference from Eastern Country and Western Country does not only exist in culture, that difference is both block and opportunity.

Enjoy success together---which YINGDELI always expects,enjoy together experience of success, enjoy together benefit of success, enjoy together joy of success.Those are bridges for YINGDELI and customers to strengthen friendship and communication.



美国Cequent公司Mr.Abe Newman
& Mr.John Aleva
Mr.Abe Newman & Mr.John Aleva
from Cequent visited YINGDELI



美国DOREL公司Mark Evanko先生
(右二)来公司考察
Mr.Mark Evanko from Dorel visited
YINGDELI



美国Cequent公司Mr.Brian Lan(中)来公司
Mr.Brian Lan from Cequent visited Yingdeli




美国Cequent公司Mr.Tom Aepelbacher
& Mr.David Brooks
Mr.Tom Aepelbacher & Mr.David
Brooks from Cequent visited YINGDELI




数控激光切割机
CNC laser cutting machine




数控激光切割机
CNC laser cutting machine



数控高速冲床
CNC high speed punch machine



880T液压机
880T hydraulic machine



德国托克斯铆接机
German TOX Riveting machine

YINGDELI

风机生产设备 Equipment For Fans

Sharp tools make good work, good tools make fine beginning.
Advanced technology and equipment is the prerequisite of YINGDELI's success, from establishment, YINGDELI always tries to keep our equipments in step with development for advanced equipment of the world, and tries to be in lead of same field, to ensure production and quality.



冲床车间一角
Part of punch line



2000kg级动平衡仪
2000kg dynamic balancing machine



大型卧式车床
Big horizontal tye of lathe




400kg级动平衡仪
400kg dynamic balancing machine



数控等离子切割机
CNC plasma cutting machine



160kg级动平衡仪
160kg dynamic balancing machine



风机装配车间一角
Part of assembly line for fans


工欲善其事，必先利其器，砺工之精益，可知开工之顺畅领先。
先进的技术及设备是英德利成功的先决条件，我们英德利公司自成立以来，一直努力的把我们的设备与世界先进设备之发展保持步伐一致，力保在同行业中领先，为日后的产品生产和质量创新提供硬件保障。



④ 铝梯翻边机
Crimping Machine For Ladders



⑤ 铝梯机器人焊接
Robot welding machine for ladders



③ 铝梯装配车间一角
part of assembly for aluminum ladders



⑥ 铝梯型材切割机
Cutting Machine Of Aluminum



⑦ 铝梯塑封包装机
Shrink film machine for aluminum ladders

YINGDELI

严格的质量控制 Strict quality control



④ 洛式硬度检测仪
Rockwell hardness tester



④ 风机检测电控系统
Electrical control system for fan testing

英德利视质量为生命，一手抓产品质量，一手抓工作质量，成功地运用管理系统，使英德利人二手都硬。

我们拥有先进的检测设备和仪器，确保每一件产品均达到设计要求。

YINGDELI treats quality as life, one hand for product quality, the other hand for work quality, and applies management system successfully to ensure two hands masshardness.

We have advanced inspection equipment and instrument, to be sure every product can meet requirement.



④ 铝梯检测
Aluminum Ladder Testing Machine

④ 关节自动测试仪
Auto-testing Machine For Hinge

YINGDELI

风机产品 Fan Products

张家港市英德利空调风机有限公司
Zhang Jia Gang City Yingdeli Air-conditioning Fans Co., Ltd.
www.yingdelifans.com
13/14

RDK系列空调离心通风机

特点：双进风，后倾式叶轮，皮带传动。风压高、效率高。

范围：适用于中央空调、净化空调设备，纺织、化纤、商场、宾馆、工矿企业及一般通风换气理想的配套产品。

规格：2.8# ~ 16# 共十六种规格。

风量：1000 ~ 230000 m³/h

全压：160 ~ 2500 Pa

RDK series air-conditioning centrifugal fan

Feature: double inlet, backward impeller, belt drive, high pressure: high efficiency

Scope: suitable for central air-conditioner, cleaning air-conditioning equipment, textile, synthetic fiber, market, hotel, industrial and mining enterprises.

Specification: 16 kinds of specification for #2.8-#16

Airflow: 1000-230000 m³/h

Total pressure: 160-2500pa



EDK系列空调离心通风机

特点：双进风，前向多翼式叶轮，皮带传动。流量大、风压适中、噪声低、效率高。

范围：适用于中央空调柜式机组及其它空调、净化、通风设备理想的配套产品。

规格：2.5# ~ 10# 共十三种规格。

风量：1500 ~ 100000 m³/h

全压：120 ~ 1600 Pa

EDK series air-conditioning centrifugal fan


Feature: double inlet, forward multi-wing impeller, belt drive, big airflow, medium pressure, low noise, high efficiency

Scope: Suitable for central air-conditioning unit and ideal other air-conditioner, cleaning, ventilation equipment.

Specification: 13 kinds of specification for #2.5-#10

Airflow: 1500-100000 m³/h

Total pressure: 120-1600pa



KTS系列空调离心通风机

特点：双进风，前向多翼式叶轮，皮带传动。结构紧凑、安装方便、噪声低、效率高。

范围：适用于中央空调柜式机组及其它空调、净化、通风设备理想的配套产品。

规格：S、C、T型单机，2S、2C、2T型双联机，7、8、9、10、12、15、18、20 inch

风量：550 ~ 22000 m³/h

全压：80 ~ 1200 Pa

KTS series air-conditioning centrifugal fan

Feature: double inlet, forward multi-wing impeller, belt driver, compact structure, easy installation low noise, high efficiency.

Scope: Suitable for central air-conditioning unit and ideal other air-conditioner, cleaning, ventilation equipment.

Specification: S.C.T-type single, 2S, 2C, 2T-type double, 7, 8, 9, 10, 12, 15, 18, 20 inch

Airflow: 550-22000 m³/h

Total pressure: 80-1200Pa



DDF系列空调离心通风机

特点: 双进风, 前向多翼式叶轮, 外转子电机传动。体积小、结构紧凑、安装方便、流量大、风压高、噪声低、效率高。
范围: 适用于立、柜式新风机组及其它空调、净化、通风设备理想的配套产品。
规格: 2.0# ~ 5.0# 共三十二种规格。
风量: 1000 ~ 20000 m³/h
全压: 120 ~ 1200 Pa

DDF series air-conditioning centrifugal fan

Feature: double inlet, forward multi-wing impeller, outrotor motor drive, small volume, compact structure easy installation, big airflow, high pressure, low noise, high efficiency
Scope: suitable for standing air-conditioning unit and other air-conditioner, cleaning, ventilation equipment.
Specification: 32 kinds of specification for #20-#50
Airflow: 1000-20000 m³/h
Total pressure: 120-1200pa



KTD系列空调离心通风机

特点: 双进风, 多翼式叶轮, 外转子电机传动。体积小、结构紧凑、安装方便、风压高。
范围: 适用于立、柜式新风机组及其它空调、净化、通风设备理想的配套产品。
规格: 2.5# ~ 5.0# 共二十种规格。
风量: 1000 ~ 20000 m³/h
全压: 200 ~ 900 Pa

KTD series air-conditioning centrifugal fan

Feature: double inlet, multi-wing impeller, outrotor motor drive, small volume, compact structure, easy installation, high pressure.
Scope: suitable for standing air-conditioning unit and other air-conditioner, cleaning, ventilation equipment.
Specification: 20 kinds of specification for #2.5-#5.0
Airflow: 1000-20000 m³/h
Total pressure: 200-900pa

BKTD系列隔爆型空调离心通风机

特点: 双进风, 前向多翼式叶轮, 三相隔爆型外转子电机传动。体积小、结构紧凑、安装方便、风压高。
范围: 适用于立、柜式新风机组及其它空调、净化、通风设备理想的配套产品。
规格: 2.5# ~ 4.2# 共十种规格。
风量: 1000 ~ 10000 m³/h
全压: 200 ~ 700 Pa

BKTD Series explosion proof type air-conditioning centrifugal fan


Feature: Double inlet, forward multi-wing impeller, triphase explosion proof type outrotor motor drive, small volume, compact structure, easy installation, high pressure.
Scope: suitable for standing air-conditioning unit and other air-conditioner, cleaning, ventilation equipment.
Specification: 10 kinds of specification for #2.5-#4.2
Airflow: 1000~10000m³/h
Total pressure: 200~700pa

YDF系列空调离心通风机

特点: 双进风, 前向多翼式叶轮, 外转子电机传动。流量大、风压低。
范围: 适用于空调末端机组及一般通风换气理想的配套产品。
规格: 2.25# ~ 4.7# 共十八种规格。
风量: 1400 ~ 15000 m³/h
全压: 90 ~ 620 Pa

YDF series air-conditioning centrifugal fan

Feature: double inlet, forward multi-wing impeller, outrotor motor drive, big airflow, low pressure
Scope: suitable for air-conditioning end sets and normal airchange
Specification: 18 kinds of specification for #2.25-#4.7
Airflow: 1400-15000 m³/h
Total pressure: 90-620pa



HTFC(DT)系列低噪声柜式离心通风机

特点: 多翼式叶轮, 皮带传动。采用框架嵌装架构风机箱体。风量大、静压高, 耐高温, 噪音低, 振动小, 安装方便, 外表美观。
范围: 适用于高层建筑、地下室、企业车间、大型商场、酒店等场所的消防排烟与通风换气使用。
规格: 8 ~ 40 inch 共二十二种规格。A型电机外置柜式离心通风机可作为通风换气 and 消防排烟两用, B型电机内置柜式离心通风机作为通风换气之用。
风量: 1500 ~ 90000 m³/h
全压: 280 ~ 1500 Pa

HTFC(DT) Series Low Noise JFX

Feature: multi-wing impeller, belt drive, frame embedded fan box, big airflow, high static pressure, thermostability, low noise, small vibration, easy installation, pretty appearance.
Scope: suitable for fire-fighting, smoke venting and airchange of high building, basement, plant, supermarket, hotel.
Specification: Totally 22 kinds of specifications for #8-#40 inch. A type motor outlay JFX can be used in air-change and smoke venting for fire-fighting, B type motor inlay can be used in air-change.
Airflow: 1500-90000m³/h
Total pressure: 280-1500pa



二步扶手梯
2 step stool
高度(Height): 1630mm



三步扶手梯
3 step stool
高度(Height): 1630mm

三节铝合金伸缩梯

人字形最低高度: 1030mm
人字形最高高度: 1600mm
展开成直梯高度: 3300mm

13ft Telescopic Ladder

Min Height In "A" Type: 1030mm
Max Height In "A" Type: 1600mm
Height of "extension" type: 3300mm



四步扶手梯
4 step stool
高度(Height): 1630mm



四节铝合金伸缩梯

人字形最低高度: 1030mm
人字形最高高度: 2200mm
展开成直梯高度: 4420mm

17ft telescopic ladder

Min Height In "A" Type: 1030mm
Max Height In "A" Type: 2200mm
Height of "extension" type: 4420mm



五节铝合金伸缩梯

人字形最低高度: 1630mm
人字形最高高度: 2770mm
展开成直梯高度: 5760mm

21ft telescopic ladder

Min Height In "A" Type: 1630mm
Max Height In "A" Type: 2770mm
Height of "extension" type: 5760mm





3步铝合金人字梯
3 step ladder




4步铝合金人字梯
4 step ladder



5步铝合金人字梯
5 step ladder



多功能人字梯
2-in-1 Ladder



爬坡梯
Ramp



汽车用自行车固定架
Bike Rack

YINGDELI

营销服务网络 net works for service location

张家港市英德利空调风机有限公司
Zhang Jia Gang City Yingdeli Air-conditioning Fans Co.ltd
www.yingdelifans.com

21/22

经过多年的发展，客户已分布全球多个国家，国内各大城市均有销售服务中心。为客户提供完善的售前、售中和售后服务！

After many years development, we have customers in many countries of the world, and have set up many service centers in domestic, in order to provide well services for whole process!

